

International - 2020

Raised Pond

02-03 **Aquarium**

Pond System

04-05 **In-Pond Filters**
• EasyClear

04-05 **Multipurpose LED Light**

06-07 **In-Ground Filters**
• Bioforce Revolution
• Bioforce Revolution Filter Kits

08-09 **Above-Ground Filters**
• Ecoceel
• Ecopower+

08-09 **Ultra Violet Clarifiers**
• Vorton

10-11 **Filter & Waterfall Pumps**
• Aquaforce

12-13 **Fountain & Waterfall Pumps**
• Cascade

12-13 **Solar Powered Pumps**

14-15 **Air Pumps**

Pond Care

14-15 **Pond Vac**

16-17 **Tidy Up Accessories**
• Pond Grabber
• Blanket Weed Brush
• Pond Glove

16-17 **Pond Nets**

16-17 **Pond Cover Nets**

16-17 **Water Treatments**

Pond Accessories

18-19 **Fish Feeder**

18-19 **Pond Baskets**

18-19 **Pond Liner**

18-19 **Pond Hose**

20-21 **Pond Hose Connectors**

Spares

22-23 **Spares**



Raised Pond



Aquarium

The appeal for water features as a place to relax and unwind in the modern garden remains very strong. But often the space and time required to build and establish traditional ponds is not compatible with consumers who have smaller gardens and demand more convenient solutions for every aspect of their life.


Now anyone can fulfil their aspirations of having an attractive water feature with the new outdoor decorative aquarium. Installation is convenient and easy to complete in around 30 minutes with no digging, tools or construction expertise required.


The result is an above-ground water feature complete with a modern decorative finish and side viewing windows that allow you to observe fish from a natural perspective in an ideal environment for successful fish keeping.

This is a great way to experience the pleasures of a pond, perhaps for the first time or as an experienced former owner but without the traditional drawbacks of a prolonged and difficult installation process.


Aquarium

Decorative outdoor water feature
Single person assembly, 'Twist & Lock' system eliminates the need for tools
Side viewing ports to view fish
Use with EasyClear or Cascade pumps



Code	3085
Product	Aquarium
Pond Capacity	500LTR (110GALS)
Size	0.95m x 0.95m x 0.7m (3' 1" x 3' 1" x 2' 4")
Recommended Pump - without Fish	3354 Cascade 1500 3344 Cascade 4000
Recommended Pump - with fish	1760 EasyClear 3000
Pack Quantity	1
Barcode	 5 010646 059619 >

In Pond Filters



EasyClear®

The award winning fully integrated filtration system

The EasyClear range comprises five units for ponds up to 3000, 4500, 6000, 7500 and 9000 litres

These fully integrated units combine a pump, filter and UVC and can be completely hidden in the pond

They provide the consumer with a product that will provide clear and healthy water, easy installation, and an attractive fountain and/or waterfall



EasyClear Benefits:

Clear water

- The UVC eliminates green water.
- Filter foam sieves out solid particles in the water.

Healthy Water

- Kaldnes™ biomedica ensures that the water is healthy for fish and plants.
- The Kaldnes™ biomedica is now stored under the foams in gauze bags for quick and easy cleaning.

Fountain & Waterfall

- Reliable and attractive fountain and waterfall display. (EasyClear 6000, 7500 & 9000 can run a fountain and waterfall simultaneously. EasyClear 3000/4500 can run a fountain or waterfall).
- 3 fountainhead options for consumer display choice (2 tier, 3 tier and bell).

Easy Installation

- One power cable for simple and cost effective installation.
- Ball joint for easy levelling of the fountainhead.
- Feet for stability.
- Fountain stem extension for varying pond depths.
- Independent flow control to adjust the size of the fountain.
- Independent flow control to adjust the size of the waterfall.

Easy Maintenance

- Latch for tool free access for cleaning foams and Kaldnes™ biomedica.
- Anti-clog fountain strainer for low maintenance.
- Bayonet fitting for easy access to the UVC for cleaning and changing.
- Water bypass allows continued UVC and fountain operation if foam is blocked.



PUMP	FILTER	UVC
✓	✓	✓



Code	1760	1762	1764	1766	1768
Product	EasyClear 3000	EasyClear 4500	EasyClear 6000	EasyClear 7500	EasyClear 9000
Maximum Pond Size	3,000LTR (660GALS)	4,500LTR (990GALS)	6,000LTR (1,320GALS)	7,500LTR (1,650GALS)	9,000LTR (1,980GALS)
Maximum Flow	1,260LPH (277GPH)	1,260LPH (277GPH)	1,700LPH (374GPH)	1,700LPH (374GPH)	2,850LPH (627GPH)
Total Fish Length	72cm (2' 4")	108cm (3' 6")	144cm (4' 8")	180cm (6' 2")	216cm (7' 8")
Fountain or Waterfall	✓	✓	-	-	-
Fountain & Waterfall	-	-	✓	✓	✓
Maximum Fountain Height	0.70m (2' 3")	0.70m (2' 3")	1.60m (5' 3")	1.60m (5' 3")	1.90m (6' 3")
Bell Jet Diameter	0.40m (1' 4")	0.40m (1' 4")	0.60m (2')	0.60m (2')	0.70m (2' 3")
Waterfall Height	0.50m (1' 8")	0.50m (1' 8")	0.60m (2')	0.60m (2')	0.90m (3')
Waterfall Width	0.08m (3")	0.08m (0' 3")	0.13m (5")	0.13m (5")	0.25m (10")
UVC Bulb	5w	7w	9w	11w	13w
Watts	25w - 230v	28w* - 230v	40w - 230v	43w* - 230v	55w - 230v
Cable Length	10m (33')	10m (33')	10m (33')	10m (33')	10m (33')
Pack Quantity	2	2	2	2	2
Barcode					

Multipurpose LED Light

A pond is often the central focal point in a garden and the addition of lighting is a way of transforming the pond into an evening spectacle.

The Multipurpose LED Light is an easy way to add lights even if you hadn't planned to introduce them when the pond was first installed. The lights are easy to install by clipping onto the stem of an EasyClear, Cascade or other Fountain pump extension.

This is a simple way to enhance and extend the enjoyment of a garden pond.



Code	3086	3087
Product	Multipurpose LED Light	7.5m LV Extension Cable
	<ul style="list-style-type: none"> • 3 powerful LED's in one light ring • Fully submersible • Convenient installation with no tools required • 220 - 240v Transformer and 7.5m low voltage cable • Ideal for use with EasyClear and Cascade 	
Pack Quantity	4	4
Barcode		



In Ground Filters



Simply turn the handle to clean

Bioforce Revolution

The Bioforce Revolution range features a patented, easy clean system and is combined with a 3 step filter process:

UVC

- Enhanced wattage UVC Bulb to eliminate green water. Contained in a quick access chamber for trouble free replacement with viewing window that glows when operating and integrated turbulator.

Biological Filtration

- Large surface area Kaldnes™ K3 biological media, accommodates beneficial bacteria in a bug bungalow, to maintain clear and healthy water.

Mechanical Filtration

- A new approach using foam cubes, provides increased surface area for bacteria growth and facilitates easy cleaning mechanism.
- Unique winding handle activates paddles inside the chamber and agitates the foam cubes and loosens accumulated green sludge.
- Diverter valve is switched to direct unwanted dirty water to surrounding garden areas outside the pond.

Flexible and un-obtrusive

Bioforce Revolution is pre-assembled for easy installation with a new pond or an existing filtration system.

The unit can be hidden at the side of a pond or buried in the ground up to the level of hose inlets.

The pressurised filter allows the water to be pumped to a higher exit point to create relaxing waterfalls.

Bioforce® Revolution




A Pressurised Pond Filter that makes pond maintenance quick and easy, no more dirty hands, simply wind the handle to clean

For ponds up to 28,000 litres (6,160 gallons)



PUMP	FILTER	UVC
	✓	✓



Code	1352	1353	1354
Product	Bioforce Revolution 12000 UVC	Bioforce Revolution 18000 UVC	Bioforce Revolution 28000 UVC
Maximum Pond Size	12,000LTR (2,640GALS)	18,000LTR (3,960GALS)	28,000LTR (6,160GALS)
Recommended Pump Size	4,000LPH (880GPH)	6,000LTR (1,320GALS)	8,000LTR (1,760GALS)
Total Fish Length	335cm (11')	503cm (16' 6")	782cm (25' 8")
UVC Bulb	18w	24w	36w
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")
Pack Quantity	1	1	1
Barcode			




Bioforce Revolution Filter Kits

PUMP	FILTER	UVC
✓	✓	✓

The complete filtration system for clear and healthy ponds

Combining the convenience of a Bioforce pressurised filter with a powerful and efficient, solids handling Aquaforce pump creates a complete filtration system backed by the Hozelock Cyprio Clearwater Guarantee.



Code	1402	1403	1404
Product	Bioforce Revolution Filter Kit 12000	Bioforce Revolution Filter Kit 18000	Bioforce Revolution Filter Kit 28000
Maximum Pond Size	12,000LTR (2,640GALS)	18,000LTR (3,960GALS)	28,000LTR (6,160GALS)
Filter	1352 Bioforce Revolution 12000 UVC	1353 Bioforce Revolution 18000 UVC	1354 Bioforce Revolution 28000 UVC
Filter Pump	1582 Aquaforce 4000	1583 Aquaforce 6000	1584 Aquaforce 8000
Pack Quantity	1	1	1
Barcode			



Above Ground Filters



Ecofilters

For ponds up to 20,000 litres (4,400 gallons)

Ecoceel

These above ground filters combine mechanical and biological filtration to keep ponds clear and healthy. When combined with a Vorton UVC, green water algae will be eliminated.

Ecopower+

These high performance above ground filters combine mechanical and biological filtration and an integrated high wattage UVC. These filters come with a Clearwater Guarantee.



Ultra Violet Clarifiers



Vorton


High efficiency Ultra Violet Clarifier (UVC) eliminates green water

The Vorton range offers the optimum UVC power for the recommended pond size. Higher powered UVC bulbs help maximise the elimination of algae.


All Vortons in the range come with 5 metres of cable, are easy to install and maintain and come with 2 years warranty and a Clearwater Guarantee.




PUMP	FILTER	UVC
	✓	



5,000LTR 2,500LTR



10,000LTR 5,000LTR




20,000LTR 10,000LTR




Code	3921	3922	3923
Product	Ecoceel 5000	Ecoceel 10000	Ecoceel 20000
Maximum Pond Size	5,000LTR (1,100GALS)	10,000LTR (2,200GALS)	20,000LTR (4,400GALS)
Recommended Pump Size	1,250LPH (275GPH)	2,500LTR (550GALS)	5,000LTR (1,100GALS)
Total Fish Length	79cm (2' 6")	157cm (5' 2")	322cm (10' 7")
UVC Bulb	Vorton 11	Vorton 24	Vorton 36
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")
Pack Quantity	1	1	1
Barcode			


PUMP	FILTER	UVC
	✓	✓



8,000LTR 4,000LTR



12,000LTR 6,000LTR



20,000LTR 10,000LTR



Code	1862	1864	1866
Product	Ecopower+ 8000 UVC*	Ecopower+ 12000 UVC*	Ecopower+ 20000 UVC*
Maximum Pond Size	8,000LTR (1,760GALS)	12,000LTR (2,640GALS)	20,000LTR (4,400GALS)
Recommended Pump Size	2,000LPH (440GPH)	3,000LTR (660GALS)	5,000LTR (1,100GALS)
Maximum Fish	170cm (5' 6")	254cm (8' 4")	435cm (14' 3")
UVC Bulb	8w	12w	16w
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")
Pack Quantity	1	1	1
Barcode			

*Provisional rating information

PUMP	FILTER	UVC
		✓



Code	1559	1554	1557	1558
Product	Vorton 11	Vorton 18	Vorton 36	Vorton 55
UVC Bulb	11w	18w	36w	55w
Maximum Pond Size With Fish	4,000LTR (880GALS)	6,000LTR (1,320GALS)	12,000LTR (2,640GALS)	18,500LTR (4,070GALS)
Recommended Flow Rate	2,000LPH (440GPH)	3,000LPH (660GPH)	6,000LPH (1,320GPH)	9,250LPH (2,035GPH)
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")
Pack Quantity	1	1	1	1
Barcode				



Aquaforce

Solids Handling Pumps for filtration, waterfalls and watercourses



Aquaforce

Performance

The Hozelock range of Aquaforce pumps is powerful and power efficient but also flexible for different consumer needs.

The Aquaforce range has improved flow rates to ensure water clarity and waterfall power are optimised. The range also has improved wattages, which means consumers will be delighted with the reduced running costs.

The motors feature a water-cooling system, which ensures that the pumps are kept at a constant temperature and reduce the risk of overheating. Ceramic bearings along with thrust washers ensure the motors are ultra reliable.

Extensive testing has been carried out to ensure the reliability of the pumps and a 5-year guarantee is offered for all models.

The Aquaforces have a considerably increased cage surface area, which allows the maximum amount of waste to be collected and pumped to the filter system. It also means that the cage is far less likely to clog, which will save the consumer from constant cleaning.

Features

All Aquaforces come with a wildlife protection insert that allows the consumer to reduce the inlet solids diameter from 6mm/10mm (dependant on model) to 2mm. This prevents wildlife such as tadpoles, newts and small fish getting into the cage.

The larger Aquaforces (6000, 8000, 12000 & 15000) are all able to operate amphibiously.

These larger models feature a second inlet, which allows the consumer to operate an optional skimmer or satellite filter. Additionally the included flow control also allows the consumer to adjust the flow of water to their waterfall or filter. It also allows the consumer to control the amount of water being drawn from the second inlet.

Easy Installation and Maintenance





Sturdy carry handle helps with installation and maintenance.

The cage clips allow the consumer easy, tool free access to the pump for maintenance.





As with all Hozelock Cyprio products the new Aquaforce pumps have a full spares support package.

PUMP	FILTER	UVC
✓		



Code	1580	1581	1582	1583
Product	Aquaforce 1000	Aquaforce 2500	Aquaforce 4000	Aquaforce 6000
Maximum Flow	1,000LPH (220GPH)	2,500LPH (550GPH)	4,000LPH (880GPH)	6,000LPH (1,320GPH)
Maximum Head	1.50m (4' 11")	2.10m (6' 11")	2.50m (8' 2")	3.50m (11' 6")
Flow @ 1m	700LTR (155GALS)	1,850LTR (410GALS)	3,000LTR (660GALS)	5,550LTR (1,220GALS)
Solids Handling Range	2 - 6mm	2 - 6mm	2 - 6mm	2 - 10mm
Waterfall Width @ 0.6m	0.06m (2")	0.19m (7")	0.36m (1' 2")	0.49m (1' 7")
Waterfall Width @ 1.0m	0.05m (2")	0.16m (6")	0.25m (1')	0.42m (1' 5")
Watts	25w	30w	50w	65w
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")
Pack Quantity	2	2	2	2
Barcode				



Code	1584	1585	1586	1683
Product	Aquaforce 8000	Aquaforce 12000	Aquaforce 15000	Aquaforce Secondary Inlet Unit
Maximum Flow	8,000LPH (1,760GPH)	12,000LPH (2,640GPH)	15,000LPH (3,000GPH)	-
Maximum Head	4.00m (13' 1")	5.00m (16' 5")	5.70m (18' 8")	-
Flow @ 1m	7,400LTR (1,630GALS)	10,800LTR (2,375GALS)	13,100LTR (2,880GALS)	-
Solids Handling Range	2 - 10mm	2 - 10mm	2 - 10mm	2 - 10mm
Waterfall Width @ 0.6m	0.69m (2' 3")	1.00m (3' 3")	1.20m (3' 11")	-
Waterfall Width @ 1.0m	0.63m (2' 8")	0.89m (2' 11")	1.10m (3' 7")	-
Watts	95w	130w	180w	-
Hose Diameter	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")	25 - 40mm (1" - 1½")
Pack Quantity	2	1	1	2
Barcode				



*3 Year guarantee + additional 2 years if you register online with Hozelock. Excluding rotar assembly. Terms and conditions apply. www.hozelock.com/guarantee

PUMP	FILTER	UVC
✓		



Use a Cascade for:

Fountains

They all come complete with a selection of distinctive fountain displays and the Cascade 700 to 4000 with a bell jet. All pumps up to the 4000 also have a telescopic fountain stem.

Waterfalls

The Cascade 700 will give a good small waterfall and the 4000 will give a torrent. Cascades from 1500 up come with a T-piece that enables them to be used for two purposes at the same time.

Water Features

All models can run water features with the attachment of appropriate pipe.

Filtration

Water can be pumped to a filter and directly back to the pond, or down a waterfall. Filtration will be more effective if an Aquaforce solids handling pump is used.

Cascade features

- High efficiency motor for low running costs and long life.
- Flow controls to adjust size of fountain and waterfall independently.
- Ball joint for fountain stem angle adjustment.
- Anti-clog foam free inlet cage reduces maintenance.
- Special outlet for waterfall or feature with quick connect hose coupling.
- Telescopic fountain pipe.



Cascade


Ideal for all decorative ponds
A range of sizes for operating everything from small water features to larger combined fountain and waterfall displays



Code	3303	3352	3354	3344
Product	Cascade 450 - 230v	Cascade 700 - 230v	Cascade 1500 - 230v	Cascade 4000 - 230v
Maximum Flow	450LPH (99GPH)	700LPH (154GPH)	1,500LPH (330GPH)	4,000LPH (880GPH)
Maximum Head	1.00m (3' 3")	1.20m (3' 11")	1.80m (5' 11")	2.10m (6' 11")
Flow @ 1m	-	120LPH (26GPH)	900LPH (198GPH)	2,800LPH (616GPH)
Maximum Fountain Height	0.63m (2' 1")	0.75m (2' 5")	1.20m (3' 11")	1.60m (5' 3")
Fountain Height with Waterfall	-	-	0.55m (1' 10")	1.20m (3' 11")
Maximum Waterfall Width	-	-	0.12m (5")	0.30m (1')
Waterfall Width with Fountain	-	-	0.10m (4")	0.25m (10")
Pack Quantity	5	5	5	3
Barcode				

Solar Powered Pumps

Harness the power of the sun to create a relaxing water feature. No electrical set up or running costs - simply install in the pond or water feature of your choice then sit back and relax.



Code	3538	3536
Product	Solar Cascade 300 • Solar powered fountain and water feature pump • Maximum fountain height 1.10m • Maximum flow 300 litres per hour • Includes battery back up to store surplus power to run in the evening or on cloudy days • Separate solar panel on spike	Solar Cascade Lily • Solar powered floating fountain with decorative lily surround • Integral low voltage pump and solar panel • Simply place on pond surface
Pack Quantity	3	3
Barcode		



3086



Air Pumps

Adding oxygen into a fishpond is very important for fish health, particularly in densely stocked ponds and in the summer months when oxygen levels decline.

The smallest model in the range delivers 320 litres per hour with a maximum operating depth of 1.2m and the largest model delivers 4500 litres per hour with an operating depth of 3m.



Code	3537
Product	Solar Air Pump <ul style="list-style-type: none"> Solar powered air pump Adds oxygen to pond to improve fish health and water clarity Separate solar panel on spike Includes 2 air stones and tubing
Pack Quantity	3
Barcode	



Code	1800	1805	1810	1820	1380
Product	Air Pump 320	Air Pump 640	Air Pump 1500	Air Pump 2700	Air Pump 4500
Maximum Output	320LPH (70GPH)	640LPH (140GPH)	1500LPH (330GPH)	2700LPH (594GPH)	4500LPH (990GPH)
Maximum Recommended Depth of Air Stone	1.2m (3' 11")	1.2m (3' 11")	2.0m (6' 7")	2.0m (6' 7")	3.0m (9' 11")
Output at 1m Depth	230LPH (50GPH)	450LPH (99GPH)	900LPH (198GPH)	2,100LPH (462GPH)	2,700LPH (594GPH)
Maximum Pressure	0.014MPa	0.014MPa	0.026MPa	0.030MPa	0.039MPa
Number of Air Outlets	2	4	6	12	12
Length of Air Tube	1 x 10m (1 x 33')	1 x 10m (1 x 33')	2 x 10m (1 x 33')	2 x 10m (1 x 33')	2 x 10m (1 x 33')
Diameter of Air Tube	ø 4mm	ø 4mm	ø 4mm	ø 4mm	ø 4mm
Number of Air Stones	2	4	2	2	2
Size of Air Stone	ø 3cm x 3cm	ø 3cm x 3cm	ø 5cm x 5cm	ø 5cm x 10cm	ø 5cm x 10cm
Pump Rating	4w	8w	17w	35w	35w
Cable Length	3m (10')	3m (10')	10m (33')	10m (33')	10m (33')
Pack Quantity	5	5	3	2	2
Barcode					



Saves up to 30% in cleaning time

Unlike most other Pond Vacs, this product runs continuously and does not have to stop every minute for the collection chamber to be emptied.

Up to 50% greater suction

The highly efficient design delivers greater suction than other products available. The combination of high suction and low power consumption makes the Pond Vac up to 7 times more efficient and minimises running costs.

Supplied with a choice of three brightly coloured nozzles for clear in-pond visibility, the Pond Vac is capable of removing particles from all areas of the pond. Cutter blades are built into the head assembly so that any large debris such as leaves passing through can be chopped up to avoid blockage.

Pond Vac

A compact and lightweight pond vacuum for quickly cleaning and removing waste from ponds with minimum effort



Code	1752
Product	Pond Vac
Pump Rating	60w - 230v
Suction Power	-53 mBar
Maximum Flow	2,200LPH (485GPH)
Cable Length	10m (33')
Product Length	2.3m (7' 7")
Waste Hose Length	3m ø 25mm (10' ø1")
Pack Quantity	2
Barcode	

Code	1753
Product	Pond Vac Basket
Use in conjunction with Pond Vac to recycle water filtered from the pond	
Removes large waste particles and leaves	
Fold flat for compact storage	
Pack Quantity	4
Barcode	





Tidy Up Accessories

Pond Grabber



Ideal for removing litter and unwanted debris from pond surface.
Simple trigger operation with robust shaft.




Code	1754
Product	Pond Grabber
Handle Length	90cm
Pack Quantity	6
Barcode	

Blanket Weed Brush



Telescopic brush for removing blanket weed from your pond.
Durable nylon head for collecting blanket weed.



Code	1755
Product	Blanket Weed Brush
Handle Length	60cm ↔ 180cm
Pack Quantity	5
Barcode	

Pond Glove



Ideal for handling pond equipment or maintaining aquatic plants.
Durable PVC with extended arm guard and elasticated sleeve to protect clothes.







Code	1756
Product	Pond Glove
Pack Quantity	5
Barcode	

Nets

Pond Nets

The larger nets in this range come with telescopic poles and comfortable soft grip handles.
Merchandising stand available to aid customer self selection.











Code	1732	1733	1735	1734
Product				
	Small Pond Net	Medium Pond Net	Large Pond Net	Skimmer Net
Diameter Head	25cm	30cm	39cm	40cm
Handle Length	125cm	100cm ↔ 150cm	100cm ↔ 180cm	100cm ↔ 180cm
Mesh	Fine mesh	Wide mesh	Wide mesh	Fine mesh
Pack Quantity	15	5	5	5
Barcode				

Pond Cover Nets

These pre-packed pond leaf nets are designed to cover the pond and prevent contamination by keeping leaves and debris from collecting on the surface.

Includes security pegs for simple installation and helps protect ponds and their stock from predators.











Code	1730	1731	1736	1737
Product				
	Pond Cover Net	Pond Cover Net	Pond Cover Net	Pond Cover Net
Coverage	2m x 3m (6' 7" x 9' 10")	3m x 4m (9' 10" x 13' 2")	4m x 6m (13' 2" x 19' 8")	6m x 10m (19' 8" x 32' 10")
Pack Quantity	10	10	5	2
Barcode				

Water Treatments


Hozelock Cyprio pond treatments complement our pumps, filters and UVCs to help keep ponds healthy and crystal clear.

All products are harmless to pond wildlife.




Code	3485T0000	3959 0000	3965T0000	3966T0000
Product				
	Water Feature Treatment	Blanketweed Treatment	Green Water Treatment	Tapwater Conditioner
Size	250ml	250g	250ml	250ml
Pack Quantity	6	6	6	6
Barcode				

Fish Feeder




- A** Set the current time
- B** Set feed frequency - up to 6 times per day
- C** Set feed quantity - up to 800ml of food
- D** Insert 2 x AA batteries - not included
- E** Assemble the stand or attach the bracket to a wall

Code	3958
Product	Fish Feeder • 800ml food capacity • Stand included • Up to six feeds a day
Pack Quantity	2
Barcode	

Pond Planting Baskets

Fine mesh to prevent loss of compost. No hessian lining required. Ideal for both marginals such as Iris' and grasses, and deep water plants/water lilies.








Code	3970T0000	3972T0000
Product	Small Planting Basket	Large Planting Basket
Size	20cm x 20cm x 9cm (8" x 8" x 4")	29cm x 29cm x 19cm (11" x 11" x 7")
Pack Quantity	10	10
Barcode		

Pond Liner









This range of pre-packed liners aids compact merchandising and customer self-selection in your store. These liners come with a 15 year guarantee and full installation instructions. They range from 2.5m x 2m up to 5.5m x 4m.

Code	3460	3461	3462	3463	3464
Product	Garden Pond Liner	Garden Pond Liner	Garden Pond Liner	Garden Pond Liner	Garden Pond Liner
Size	2.5m x 2m (8' 2" x 6' 7")	3m x 2.5m (9' 10" x 8' 2")	4m x 3.0m (13' 2" x 9' 10")	4.5m x 4m (14' 9" x 13' 2")	5.5m x 4m (18' 1" x 13' 2")
Pack Quantity	1	1	1	1	1
Barcode					

Pond Hose



Made from high quality plastics this spiral hose is extremely flexible with a bend radius only 3 times its diameter without kinking or splitting.


Code	1700	1701	1702
Product	Cypriflex Hose	Cypriflex Hose	Cypriflex Hose
Hose Length	50m (164')	50m (164')	30m (98' 5")
Hose Diameter	ø 12mm (ø ½")	ø 20mm (ø ¾")	ø 25mm (ø 1")
Pack Quantity	1 x 50m	1 x 50m	1 x 30m
Barcode			
Code	1703	1704	1705
Product	Cypriflex Hose	Cypriflex Hose	Cypriflex Hose
Hose Length	30m (98' 5")	25m (82')	25m (82')
Hose Diameter	ø 32mm (ø 1¼")	ø 40mm (ø 1½")	ø 38mm (ø 1½")
Pack Quantity	1 x 30m	1 x 25m	1 x 25m
Barcode			

Pond Accessories

Flow Control Valve

Control the flow of water to pond filtration systems, waterfalls and water features. Stepped hosetails allows connection of 25 - 40mm hose and flow can be restricted using the easy to turn handle.




Code	1758
Product	Flow Control Valve • ø 25mm (1"), 32mm (1¼") & 40mm (1½")
Pack Quantity	5
Barcode	 5 010646 056052 >

Hose Tap Flow Controllers

Hose tap flow controllers fit between two hoses, controlling the water flow. This enables two pieces of equipment (eg a pump and filter) with different flow rates to be compatible. Available in 3 sizes.



Code	3994	3995	3996
Product	Hose Tap Flow Control • ø 12mm (½")	Hose Tap Flow Control • ø 20mm (¾")	Hose Tap Flow Control • ø 25mm (1")
Pack Quantity	25	25	25
Barcode	 5 010646 011952 >	 5 010646 011969 >	 5 010646 011976 >

Stepped Hosetails

Stepped hosetails are used to reduce the internal size of the hose. Fits various hose types, simply cut off the size not required for maximum flow to enable a slightly smaller pipe to fit the connection. Available in 3 sizes.





Code	1427	1434	1435
Product	Stepped Hosetail 1¼" • ø 12mm (½"), 20mm (¾"), 25mm (1") & 32mm (1¼")	Stepped Hosetail 1½" • ø 20mm (¾"), 25mm (1"), 32mm (1¼") & 40mm (1½")	Stepped Hosetail ¾" • ø 12mm (½"), 15mm (¾"), 20mm (¾") & 25mm (1")
Pack Quantity	25	25	25
Barcode	 5 010646 031066 >	 5 010646 032629 >	 5 010646 032612 >

Universal Tee Pieces

Universal tee adaptors are designed to fit different hose widths. Available in 2 sizes.



Code	1728	1729
Product	Small Universal Tee • ø 12mm (½"), 15mm (¾"), 20mm (¾") & 25mm (1")	Large Universal Tee • ø 20mm (¾"), 25mm (1"), 32mm (1¼") & 40mm (1½")
Pack Quantity	25	8
Barcode	 5 010646 031820 >	 5 010646 031813 >

Hose Tee Pieces

Hozelock Hose Tee Pieces, are designed to fit different hose sizes and allow three hoses to be connected at a junction point. Available in 4 sizes.








Code	3991	3992	3993	1723
Product	Hose Tee Piece • ø 12mm (½")	Hose Tee Piece • ø 20mm (¾")	Hose Tee Piece • ø 25mm (1")	Hose Tee Piece • ø 32mm (1¼")
Pack Quantity	50	25	25	25
Barcode	 5 010646 011921 >	 5 010646 011938 >	 5 010646 011945 >	 5 010646 031684 >

Union Hose Connectors

The Hozelock Union Hose Connectors allow two hoses to be connected together easily and securely. Available in 5 sizes.







Code	3997	3998	3999	1718	1719
Product	Union Hose Connector • ø 12mm (½")	Union Hose Connector • ø 20mm (¾")	Union Hose Connector • ø 25mm (1")	Union Hose Connector • ø 32mm (1¼")	Union Hose Connector • ø 40mm (1½")
Pack Quantity	50	25	25	25	25
Barcode	 5 010646 011983 >	 5 010646 011990 >	 5 010646 012003 >	 5 010646 031707 >	 5 010646 031691 >

Reducing Hose Connector

A range of barbed, plastic hose reducers for reducing hose or pipe. Available in 4 sizes.



Code	1667	1668	1669	1670
Product	Reducing Hose Connector • ø 20mm (¾") x 12mm (½")	Reducing Hose Connector • ø 25mm (1") x 12mm (½")	Reducing Hose Connector • ø 25mm (1") x 20mm (¾")	Reducing Hose Connector • ø 32mm (1¼") x 25mm (1")
Pack Quantity	25	10	25	25
Barcode	 5 010646 031950 >	 5 010646 031943 >	 5 010646 031936 >	 5 010646 031929 >

Hose Clips





The zinc plated hose clips come with a foam strip to ensure maximum grip to the exterior of Cypriflex hose. They have a wing tightener for easy tool free adjustment.







Code	1710	1711	1712	1713	1714
Product	Winged Hose Clip Zinc • ø 12mm (½")	Winged Hose Clip Zinc • ø 20mm (¾")	Winged Hose Clip Zinc • ø 25mm (1")	Winged Hose Clip Zinc • ø 32mm (1¼")	Winged Hose Clip Zinc • ø 40mm (1½")
Pack Quantity	6	6	6	6	6
Barcode	 5 010646 031752 >	 5 010646 031714 >	 5 010646 031721 >	 5 010646 031738 >	 5 010646 031745 >






Aquaforce and Cascade Pumps




Code	Z10005	Z10006	Z10007	Z10000	Z10012
Product	Pump Chamber • Aquaforce 1000	Pump Chamber • Aquaforce 2500	Pump Chamber • Aquaforce 4000	Rotor Assembly • Aquaforce 4000	Stepped Hosetail and Retaining Nut • Aquaforce
Pack Quantity	1	1	1	1	1
Barcode	-	-	-	-	-

Code	Z10013	1588 0000	1589 0000	1590 0000	1591 0000
Product	Ball Joint • Aquaforce	Spares Kit • Aquaforce 6000	Spares Kit • Aquaforce 8000	Spares Kit • Aquaforce 12000	Spares Kit • Aquaforce 15000
Pack Quantity	1	1	1	1	1
Barcode	-				






Code	1680	3419	3409	3411
Product	Pump Impeller • Aquaforce 1000	Pump Impeller • Cascade 700	Pump Impeller • Cascade 1500	Pump Impeller • Cascade 4000
Pack Quantity	1	1	1	1
Barcode				





Bioforce

Code	1504	1510	1511	1512	1513
Product	Foam Cubes • Bioforce Revolution	Annual Service Kit • Bioforce Revolution	Quartz Tube Kit 18w • Bioforce Revolution	Quartz Tube Kit 24w • Bioforce Revolution	Quartz Tube Kit 36w • Bioforce Revolution
Pack Quantity	1	1	1	1	1
Barcode					






Code	1397	1398	1399	Z12325	Z12076
Product	Course Foam Medium • For Bioforce 3000, 5500 & 8000	Course Foam Large • For Bioforce 12000	Annual Service Kit • For Bioforce 12000	Hosetail & Nut Set • Bioforce 9000 & 12000 • Bioforce Revolution 6000, 9000 & 14000	Bioforce O Ring Kit
Pack Quantity	1	1	1	1	1
Barcode				-	-




Easyclear

Code	1782	1783	1784	1408	1526
Product	Quartz Tube • 1760	Quartz Tube • 1762	Quartz Tube • 1764, 1766 & 1768	Foam • Single	Quartz Tube • 3003 & 3113
Pack Quantity	1	1	1	1	1
Barcode					

Code	1556	3418	1681	3439A	Z10049
Product	Quartz Tube • 3006, 3116 & 3009	Pump Impeller • 3003, 3113 & 1760	Pump Impeller • 3006, 3116, 1764 & 1766	Pump Impeller • 3009 & 1768	Easyclear O Ring Kit • 1760 - 1768
Pack Quantity	1	1	1	5	1
Barcode					-

Vorton

Code	1575	1576	1577	1578	1579
Product	Quartz Tube • Vorton 11	Quartz Tube • Vorton 18	Quartz Tube • Vorton 36	Quartz Tube • Vorton 55	Annual Service Kit • Vorton 11, 18, 36 & 55
Pack Quantity	1	1	1	1	1
Barcode					

Code	1523	1524	1537
Product	Quartz Tube 5w/9w	Quartz Tube 9w/11w	Vorton Spares Set Nut and hosetail set
Pack Quantity	1	1	5
Barcode			

Lamps

Code	1519X	1517	1520X	1521X	1592
Product	Lamp 5w PLS	Lamp 7w PLS	Lamp 9w PLS	Lamp 11w PLS	Lamp 11w PLS • Vorton (2016+)
Pack Quantity	10	10	10	10	10
Barcode					





Code	1518	1525X	1541	1542A	1502
Product	Lamp 11w PLS • Easyclear 7500	Lamp 13w PLS • Bioforce 12000 (Pre 2011)	Lamp 13w PLS • Easyclear 9000 • Bioforce 12000 (2012+)	Lamp 18w PLL	Lamp 24w PLL
Pack Quantity	10	10	10	6	6
Barcode					

Code	1543A	1544A	Z11106	Z11108	1780
Product	Lamp 36w PLL	Lamp 55w PLL	Lamp 6w • Double ended	Lamp 8w • Double ended	Lamp 12w • Double ended
Pack Quantity	6	6	10	10	10
Barcode					

Air Pumps

Code	1817	1819	1821	1825	1826
Product	Spares Kit • 320 & 640	Spares Kit • 1500	Spares Kit • 2700 & 4500	Large Air Stone • 5cm x 10cm	Medium Air Stone • 5cm x 5cm
Pack Quantity	1	1	5	20	40
Barcode					

Filter Spares

Code	1363	1364	1371	1571	Z10047
Product	Foam • Ecopower/Ecocel 2200/4500	Foam • Ecopower/Ecocel - All	Foam • Ecopower/Ecocel 9000	Kaldnes Media • 5 Litres	EasyClear Biomedica • In net
Pack Quantity	1	1	1	5	1
Barcode					-

 <http://www.hozelock.com/catalogues/turkey/>



 <http://www.hozelock.com/catalogues/hungary/>



 <http://www.hozelock.com/catalogues/czech/>




 <http://www.hozelock.com/catalogues/romania/>



 <http://www.hozelock.com/catalogues/croatia/>



 As part of our commitment to continuous product improvement we reserve the right to make design and manufacturing changes which may mean that products supplied differ in certain respects from those illustrated and specified in this catalogue.

Please note that not all products are available in all markets.

For spares & accessories information please visit,

www.hozelockservice.com



Hozelock Ltd.
Midpoint Park, Birmingham. B76 1AB. England.

Consumer Helpline:
+44 (0) 121 313 1122

Sales Office:
+44 (0) 121 313 4095

Switchboard:
+44 (0) 121 313 4242

www.hozelock.com

AQ20 1240

